

INHALTSVERZEICHNIS

CHALLENGE	2 – 3	SPLIT	14 – 17
DRAG	4 – 5	TURN	18 – 21
LIGHT	6 – 9	VISION	22 – 25
SPARK	10 – 13	WAVE	26 – 29



Stand Februar 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel *k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel *k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
CHALLENGE	CM706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	CM757	35, 40, 45, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CM858	30, 35, 40, 50	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CM859	30, 35, 40, 50	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

					OE-SENSOREN													
					100	101	102	103	104	105	106	107	108	109	110	111	112	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG18 (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			*k.A.	20°	starr 20°	20°	variabel *k.A.	variabel *k.A.	variabel *k.A.	*k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
CHALLENGE	CM706	38, 48	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	CM757	35, 40, 45, 50	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	CM858	30, 35, 40, 50	8,5	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	CM859	30, 35, 40, 50	8,5	19	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
					113	114	115	116	117	118	119	120	121	122	123	124	125
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
CHALLENGE	CM706	38, 48	7	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	CM757	35, 40, 45, 50	7,5	17	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	CM858	30, 35, 40, 50	8,5	18	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	CM859	30, 35, 40, 50	8,5	19	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓

					OE-SENSOREN											
					126	127	128	129	130	131	132	133	134	135	136	137
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
CHALLENGE	CM706	38, 48	7	16	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CM757	35, 40, 45, 50	7,5	17	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CM858	30, 35, 40, 50	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CM859	30, 35, 40, 50	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
CHALLENGE	CM706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	CM757	35, 40, 45, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CM858	30, 35, 40, 50	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CM859	30, 35, 40, 50	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

					OE-SENSOREN													
					100	101	102	103	104	105	106	107	108	109	110	111	112	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG18 (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
DRAG	DR655	25, 38, 45	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DR656	20, 38, 48, 50	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DR707	25, 31, 38, 48	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DR808	35, 48	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
					113	114	115	116	117	118	119	120	121	122	123	124	125
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
DRAG	DR655	25, 38, 45	6,5	15	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	DR656	20, 38, 48, 50	6,5	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	DR707	25, 31, 38, 48	7	17	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	DR808	35, 48	8	18	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓

					OE-SENSOREN											
					126	127	128	129	130	131	132	133	134	135	136	137
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
DRAG	DR655	25, 38, 45	6,5	15	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DR656	20, 38, 48, 50	6,5	16	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DR707	25, 31, 38, 48	7	17	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DR808	35, 48	8	18	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungssystem			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
LIGHT	LI554	24, 35, 43	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	LI605	25, 38, 42, 50	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	LI655	38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	LI606	27, 38, 40, 45, 50	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	LI706	38, 42, 46	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	LI757	28, 38, 41, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VU0A Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
LIGHT	LI554	24, 35, 43	5,5	14	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	LI605	25, 38, 42, 50	6	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	LI655	38, 45	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	LI606	27, 38, 40, 45, 50	6	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	LI706	38, 42, 46	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	LI757	28, 38, 41, 47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
LIGHT	LI554	24, 35, 43	5,5	14	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	LI605	25, 38, 42, 50	6	15	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	LI655	38, 45	6,5	15	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	LI606	27, 38, 40, 45, 50	6	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	LI706	38, 42, 46	7	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	LI757	28, 38, 41, 47	7,5	17	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
LIGHT	LI554	24, 35, 43	5,5	14	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LI605	25, 38, 42, 50	6	15	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LI655	38, 45	6,5	15	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LI606	27, 38, 40, 45, 50	6	16	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LI706	38, 42, 46	7	16	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LI757	28, 38, 41, 47	7,5	17	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS ZUORDNUNGSLISTE

SPARK

→ [Zurück zum Inhaltsverzeichnis](#)

Stand Februar 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG 1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Genera-tion 2	Genera-tion 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
SPARK	SK656	33, 38, 46, 50, 54	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	SK757	37, 43, 45, 47.5, 49, 54	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	SK808	30, 31, 34, 35, 39, 45, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	SK859	35, 40, 48	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VU0A Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
SPARK	SK656	33, 38, 46, 50, 54	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	SK757	37, 43, 45, 47.5, 49, 54	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SK808	30, 31, 34, 35, 39, 45, 47	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	SK859	35, 40, 48	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125	
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J							Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW	
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall	
SPARK	SK656	33, 38, 46, 50, 54	6,5	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	SK757	37, 43, 45, 47,5, 49, 54	7,5	17	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	SK808	30, 31, 34, 35, 39, 45, 47	8	18	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓	
	SK859	35, 40, 48	8,5	19	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
SPARK	SK656	33, 38, 46, 50, 54	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SK757	37, 43, 45, 47,5, 49, 54	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SK808	30, 31, 34, 35, 39, 45, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SK859	35, 40, 48	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
SPLIT	SPL605	38, 43	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	SPL606	23, 38	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	SPL656	38, 5	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	SPL706	35, 40, 45, 52	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	SPL707	40, 45, 49, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	SPL757	35, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	SPL808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VU0A Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
SPLIT	SPL605	38, 43	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SPL606	23, 38	6	16	✓	✓	✓	—	✓	✓	✓	✓	✓	✓	✓	—	✓	
	SPL656	38, 5	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SPL706	35, 40, 45, 52	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SPL707	40, 45, 49, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SPL757	35, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SPL808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
SPLIT	SPL605	38, 43	6	15	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL606	23, 38	6	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL656	38, 5	6,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL706	35, 40, 45, 52	7	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL707	40, 45, 49, 50	7	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL757	35, 45	7,5	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL808	35, 45	8	18	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓

RDKS ZUORDNUNGSLISTE

SPLIT

→ [Zurück zum Inhaltsverzeichnis](#)

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
SPLIT	SPL605	38, 43	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SPL606	23, 38	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SPL656	38, 5	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SPL706	35, 40, 45, 52	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SPL707	40, 45, 49, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SPL757	35, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SPL808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
TURN	TU554	24, 35, 38, 40	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	TU655	25, 38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	TU656	25, 38, 40, 45, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	TU757	35, 42, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	TU808	30, 40, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VU0A Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
TURN	TU554	24, 35, 38, 40	5,5	14	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	TU655	25, 38, 45	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	TU656	25, 38, 40, 45, 50	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	TU757	35, 42, 50	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	✓	
	TU808	30, 40, 48	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
SPLIT	SPL605	38, 43	6	15	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL606	23, 38	6	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL656	38, 5	6,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL706	35, 40, 45, 52	7	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL707	40, 45, 49, 50	7	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL757	35, 45	7,5	17	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	SPL808	35, 45	8	18	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
TURN	TU554	24, 35, 38, 40	5,5	14	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TU655	25, 38, 45	6,5	15	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TU656	25, 38, 40, 45, 50	6,5	16	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TU757	35, 42, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TU808	30, 40, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
VISION	VS504	35, 36, 45	5	14	✓	✓	✓	✓	-	-	✓	✓	✓	✓	-	✓	✓	-	✓	
	VS555	24, 36, 45	5,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	VS606	24, 43	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	VS655	38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	VS656	38, 39, 45	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	VS757	35, 45, 46, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	VS808	33, 42, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VU0A Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
VISION	VS504	35, 36, 45	5	14	✓	✓	-	-	✓	✓	✓	✓	-	-	-	✓	-	
	VS555	24, 36, 45	5,5	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	VS606	24, 43	6	16	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	VS655	38, 45	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	VS656	38, 39, 45	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	VS757	35, 45, 46, 50	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	VS808	33, 42, 50	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
VISION	VS504	35, 36, 45	5	14	✓	-	-	✓	✓	-	-	-	-	-	-	-	-
	VS555	24, 36, 45	5,5	15	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	-	✓
	VS606	24, 43	6	16	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	-	✓
	VS655	38, 45	6,5	15	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	-	✓
	VS656	38, 39, 45	6,5	16	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	-	✓
	VS757	35, 45, 46, 50	7,5	17	✓	-	-	✓	✓	-	-	✓	✓	✓	✓	-	✓
	VS808	33, 42, 50	8	18	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
VISION	VS504	35, 36, 45	5	14	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	VS555	24, 36, 45	5,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	VS606	24, 43	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	VS655	38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	VS656	38, 39, 45	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	VS757	35, 45, 46, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	VS808	33, 42, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Stand Februar 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug. 14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	Jan	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
WAVE	WA554	24, 35, 43	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	WA605	25, 38, 45, 50	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓
	WA606	27, 38, 40, 45, 50	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	WA655	38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓
	WA706	38, 42, 45, 46, 50	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	WA757	30, 38, 47, 50	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

Stand Februar 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VU0A Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungssystem			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
WAVE	WA554	24, 35, 43	5,5	14	✓	✓	✓	-	✓	✓	✓	✓	✓	-	-	-	✓	
	WA605	25, 38, 45, 50	6	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	✓	
	WA606	27, 38, 40, 45, 50	6	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	✓	
	WA655	38, 45	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	✓	
	WA706	38, 42, 45, 46, 50	7	16	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	✓	
	WA757	30, 38, 47, 50	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	✓	

Stand Februar 2018

					OE-SENSOREN												
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	119	120	121	122	123	124	125
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS/LS_Faraday	Schrader HS_Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J						Generation 2&3	Generation Delta
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3021 3024 NIO Wegen Ventilabdichtung	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Gummi	Metall	Metall
WAVE	WA554	24, 35, 43	5,5	14	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	WA605	25, 38, 45, 50	6	15	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	WA606	27, 38, 40, 45, 50	6	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	WA655	38, 45	6,5	15	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	WA706	38, 42, 45, 46, 50	7	16	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓
	WA757	30, 38, 47, 50	7,5	17	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓	-	✓

Stand Februar 2018

					OE-SENSOREN											
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	126	127	128	129	130	131	132	133	134	135	136	137
					E-LEAD EL-401R-0001	TRW	Schrader Gen4 Clamp In	Schrader HighSpeed-Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	T-Pro ALCAR	SP201 Simple Orange
		Generation				Version I										
		Artikel Nr.				52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053	3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault- Modelle RDS024)	MAX- Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)
		Winkel			21,5°		20°	10°	10°	10°	0°-40°	20°		20°	20°	20°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall
WAVE	WA554	24, 35, 43	5,5	14	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	WA605	25, 38, 45, 50	6	15	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	WA606	27, 38, 40, 45, 50	6	16	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	WA655	38, 45	6,5	15	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	WA706	38, 42, 45, 46, 50	7	16	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	WA757	30, 38, 47, 50	7,5	17	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓